PRODUCT DATA SHEET



Product Description

Ultracurue H2 is a revolutionary 6.0mil flexible white polymeric uinyl film, containing bubble-free FLO Technology, backed with a highly aggressive pressure sensitive acrylic adhesive system, specifically desinged for unmatched adhesion to snowmobiles, industrial equipment, and other surfaces including polyethylene, polypropylene, and TPO.

Recommended End Uses

Substance Incorporated recommends the following end uses for Ultracurue X2:

- Bubble-free graphics for applications requiring the highest level of adhesion.
- Bubble-free decals and graphics for Snowmobiles and textured surfaces.
- Demanding industrial applications to polyethylene, polypropylene, and TPO.
- · Permanent adhesion to smooth and rough textured plastics and metals.

Performance Characteristics

Characteristic	Typical Ualue
Material	4.0 mil Polymeric Calendered Uinyl
Color	Opaque White
Tensile Strength	15.2 pounds/inch
Adhesiue	Clear Soluent-Based Pressure Sensitiue Acrylic
Adhesiue Thickness	2.0 mil (0.056mm) +/_ 10%
Peel Adhesion	10.8 pounds/inch from Stainless Steel
Liner	99LB Natural Brown PE Coated Layflat Paper
Liner Release	32 grams/inch
Dimensional Stability	0.031 inch (0.8 mm)
Application Temp.	40°F to 80°F recommended, test prior to specific application
Temperature Range	-65°F to 220°F
Shelf Life	6 months when stored at 70 F and 50% relative humidity
Print Compatibility	Soluent, Eco-Soluent, Latex, UU, and Thermal Transfer Inks
Graphic Life	Outdoor durability up to 5 years (unprinted), permanent
Chemical Resistance	Resists mild acids, mild akalis, soluents, and salts. Excellent resistance to water, including immersion.

Installation Recommendations

Before applying an overlaminate, allow 24 hours for print to dry. Application surface must be free of dust, dirt, debris, grease, and other contaminants. We highly recommend cleaning the installation surface with isopropyl alcohol prior to application. Dry installation is recommended. Please test any application fluid prior to use. Mild heat may be used during installation to help 660LSE conform to irregular surfaces.

Disclaimer

All descriptive information presented within this Product Data Sheet is intended for reference purposes only. This information does not suggest or constitute a verbal or written warranty of any kind. The end user shall be responsible for independently testing the suitability of their application, prior to final use.

The liability of Substance Incorporated will not exceed the purchase price of materials.

